



名称	修改日期	类型	大小
 滑动丝杠.dwg	2017/8/9 16:05	AutoCAD 图形	68 KB
 滑架.dwg	2017/8/9 16:05	AutoCAD 图形	91 KB
 环形架.dwg	2017/8/9 16:05	AutoCAD 图形	77 KB
 丝杠螺母.dwg	2017/8/9 16:05	AutoCAD 图形	66 KB
 箱体.dwg	2017/8/9 16:05	AutoCAD 图形	88 KB
 主轴.dwg	2017/8/9 16:04	AutoCAD 图形	79 KB
 装配图正式.dwg	2017/8/9 16:04	AutoCAD 图形	321 KB
 毕业论文.doc	2017/6/26 20:08	Microsoft Word ...	1,119 KB
 开题报告.doc	2017/6/26 20:06	Microsoft Word ...	308 KB
 中期报告.doc	2017/6/26 20:05	Microsoft Word ...	240 KB
 买家售后必读.jpg	2017/8/16 7:41	图片文件(jpg)	439 KB



技术要求

1. 锐角倒钝，去毛刺
2. 未标注圆角R1.5

轴			比例	1:1	
			件数	1	
制图	田壮		材料		
审核			SNY-19		



其余 $\sqrt{6.3}$



丝杠螺母

1: 1

SNY-16

共 张 第 张



制图

田壮

2014.5.1

审核

其余 $\sqrt{3.2}$




技术要求

1. 锐边倒角 $1 \times 45^\circ$
2. 预紧力：轻预紧




滑动丝杠

滑动丝杠			1: 1	SNY-18
制图			共 1 张 第 1 张	
审核				

滑架






其余 12.5



环形架

						HT200			圖形集		
图号	数量	分 区	更改文件	备注	年月日	图例影记			数量	比例	SNY-20
设计	审核		标准								
										1:1	
审核						共 张			第 张		
工艺			标准								



技术要求

1. 其余未标注的表面粗糙度均为Ra 3.2
2. 箱体内壁涂耐油油漆，外壁涂灰色油漆

箱体

箱体	1:1	SMT-21
图号	比例	数量
审核		

